

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show source outline image report

Check by css

```
<!DOCTYPE html>
<html lang="en">
  <head>

    <title>OnlyFEUP</title>

    <!-- Metadata -->
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <meta http-equiv="Content-Security-Policy" content="upgrade-insecure-requests">

    <!-- CSRF Token -->
    <meta name="csrf-token" content="UHtfmGsdVVNkBYLd4mq1BYj4Ta6NH7BDBv2xj12g">
```

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

1. **Warning** **The `type` attribute is unnecessary for JavaScript resources.**

[From line 32, column 5; to line 32, column 79](#)

```
css"><script type="text/javascript" src="http://localhost:8000
/js/app.js" defer></scri
```

2. **Warning** **The `type` attribute is unnecessary for JavaScript resources.**

[From line 33, column 5; to line 33, column 89](#)

```
ript><script type="text/javascript" src="http://localhost:8000
/js/audioRecorder.js" defer></scri
```

3. **Error** **End tag had attributes.**

[At line 47, column 42](#)

- r-main-content">
4. **Error** **Attribute** `type` **not allowed on element** `i` **at this point.**
[From line 57, column 9; to line 57, column 148](#)
> <i class="fa fa-chevron-circle-down dropdown data-toggle sidebar-user-options" type="button" id="dropdownMenuButton" data-toggle="dropdown"></i>
Attributes for element `i`:
[Global attributes](#)
5. **Error** **Bad value** `button` **for attribute** `type` **on element** `a`: **Subtype missing.**
[From line 65, column 5; to line 65, column 85](#)
ion"> <a type=button class="sidebar-chat-anchor"
href="http://localhost:8000/messages">
6. **Error** **The element** `button` **must not appear as a descendant of the** `a` **element.**
[From line 67, column 13; to line 67, column 65](#)
 <button class="sidebar-button-2 sidebar-chat-button">
7. **Error** **Stray end tag** `div`.
[From line 71, column 17; to line 71, column 22](#)
 </div> <
8. **Warning** **Section lacks heading. Consider using** `h2` `h6` **elements to add identifying headings to all sections, or else use a** `div` **element instead for any cases where no heading is needed.**
[From line 64, column 29; to line 64, column 83](#)
 <section id="home-chat-card" class="home-chat-section"> <
9. **Error** **Bad value** `button` **for attribute** `type` **on element** `a`: **Subtype missing.**
[From line 84, column 9; to line 84, column 59](#)
>
10. **Error** **The element** `button` **must not appear as a descendant of the** `a` **element.**

From line 85, column 13; to line 85, column 45

```
<button class="sidebar-button-2">Groups
```

11. **Error** **Stray end tag** `div`.

From line 87, column 5; to line 87, column 10

```
</a>↵ </div>↵
```

12. **Error** **End tag** `li` **seen, but there were open elements.**

From line 89, column 9; to line 89, column 13

```
>↵ </li>↵
```

13. **Error** **Unclosed element** `section`.

From line 63, column 13; to line 63, column 37

```
<section id="bar-middle">↵
```

14. **Warning** **Section lacks heading. Consider using** `h2 - h6` **elements to add identifying headings to all sections, or else use a** `div` **element instead for any cases where no heading is needed.**

From line 63, column 13; to line 63, column 37

```
<section id="bar-middle">↵
```

15. **Error** **Bad value** `button` **for attribute** `type` **on element** `a`: **Subtype missing.**

From line 93, column 9; to line 93, column 37

```
>↵ <a type=button href="/about">↵
```

16. **Error** **The element** `button` **must not appear as a descendant of the** `a` **element.**

From line 94, column 13; to line 94, column 43

```
<button class="sidebar-button">About
```

17. **Error** **Bad value** `button` **for attribute** `type` **on element** `a`: **Subtype missing.**

From line 96, column 9; to line 96, column 40

```
>↵ <a type=button href="/features">↵
```

18. **Error** **The element** `button` **must not appear as a descendant of the**

a element.

[From line 97, column 13; to line 97, column 43](#)

```
<button class="sidebar-button">Feature
```

19. **Error** **Bad value** button **for attribute** type **on element** a: Subtype missing.

[From line 99, column 9; to line 99, column 36](#)

```
>↔ <a type=button href="/help">↔
```

20. **Error** **The element** button **must not appear as a descendant of the** a **element.**

[From line 100, column 13; to line 100, column 43](#)

```
<button class="sidebar-button">HELP!<
```

21. **Warning** **Section lacks heading. Consider using** h2-h6 **elements to add identifying headings to all sections, or else use a** div **element instead for any cases where no heading is needed.**

[From line 92, column 5; to line 92, column 52](#)

```
ter">↔ <section id="static" class="bar-footer-buttons">↔
```

22. **Warning** **Section lacks heading. Consider using** h2-h6 **elements to add identifying headings to all sections, or else use a** div **element instead for any cases where no heading is needed.**

[From line 91, column 13; to line 91, column 44](#)

```
<section class="sidebar-footer">↔ <
```

23. **Error** **End tag** h4 **seen, but there were open elements.**

[From line 115, column 72; to line 115, column 76](#)

```
o do this?</h4>↔
```

24. **Error** **Element** h4 **not allowed as child of element** button **in this context. (Suppressing further errors from this subtree.)**

[From line 118, column 98; to line 118, column 101](#)

```
PostForm"><h4><h4><i>
```

Content model for element button:

[Phrasing content](#), but there must be no [interactive content](#) descendant and no descendant with the [tabindex](#) attribute specified.

25. **Error Heading cannot be a child of another heading.**

[From line 118, column 102; to line 118, column 105](#)

Form"><h4><h4><i cla

26. **Warning Empty heading.**

[From line 118, column 98; to line 118, column 101](#)

PostForm"><h4><h4><i

27. **Error Element `h4` not allowed as child of element `button` in this context. (Suppressing further errors from this subtree.)**

[From line 118, column 102; to line 118, column 105](#)

Form"><h4><h4><i cla

Content model for element `button`:

[Phrasing content](#), but there must be no [interactive content](#) descendant and no descendant with the [tabindex](#) attribute specified.

28. **Error Stray end tag `i`.**

[From line 118, column 133; to line 118, column 136](#)

imes"></i></i></h4><

29. **Warning Empty heading.**

[From line 118, column 102; to line 118, column 105](#)

Form"><h4><h4><i cla

30. **Error Element `h4` not allowed as child of element `button` in this context. (Suppressing further errors from this subtree.)**

[From line 119, column 91; to line 119, column 94](#)

confirm"><h4><i cla

Content model for element `button`:

[Phrasing content](#), but there must be no [interactive content](#) descendant and no descendant with the [tabindex](#) attribute specified.

31. **Error End tag `button` seen, but there were open elements.**

[From line 119, column 122; to line 119, column 130](#)

heck"></i></button><

32. **Error Unclosed element `h4`.**

[From line 119, column 91; to line 119, column 94](#)

```
confirm"><h4><i cla
```

33. **Warning Empty heading.**

[From line 119, column 91; to line 119, column 94](#)

```
confirm"><h4><i cla
```

34. **Error Element `h4` not allowed as child of element `button` in this context. (Suppressing further errors from this subtree.)**

[From line 131, column 13; to line 131, column 16](#)

```
<h4><i cla
```

Content model for element `button`:

[Phrasing content](#), but there must be no [interactive content](#) descendant and no descendant with the [tabindex](#) attribute specified.

35. **Warning Empty heading.**

[From line 131, column 13; to line 131, column 16](#)

```
<h4><i cla
```

36. **Error Element `h4` not allowed as child of element `button` in this context. (Suppressing further errors from this subtree.)**

[From line 155, column 80; to line 155, column 83](#)

```
s="modal"><h4><i cla
```

Content model for element `button`:

[Phrasing content](#), but there must be no [interactive content](#) descendant and no descendant with the [tabindex](#) attribute specified.

37. **Error End tag `button` seen, but there were open elements.**

[From line 155, column 111; to line 155, column 119](#)

```
imes"></i></button>↔
```

38. **Error Unclosed element `h4`.**

[From line 155, column 80; to line 155, column 83](#)

```
s="modal"><h4><i cla
```

39. **Warning Empty heading.**

[From line 155, column 80; to line 155, column 83](#)

```
s="modal"><h4><i cla
```

40. **Error** Element `h4` not allowed as child of element `button` in this context. (Suppressing further errors from this subtree.)
[From line 156, column 78; to line 156, column 81](#)
PostForm"><h4><i cla
Content model for element `button`:
[Phrasing content](#), but there must be no [interactive content](#) descendant and no descendant with the `tabindex` attribute specified.
41. **Warning** Empty heading.
[From line 156, column 78; to line 156, column 81](#)
PostForm"><h4><i cla
42. **Error** The `main` element must not appear as a descendant of the `article` element.
[From line 169, column 5; to line 169, column 31](#)
ader>↵ <main class="post-content">↵
43. **Error** The `main` element must not appear as a descendant of the `section` element.
[From line 169, column 5; to line 169, column 31](#)
ader>↵ <main class="post-content">↵
44. **Error** The `main` element must not appear as a descendant of the `section` element.
[From line 169, column 5; to line 169, column 31](#)
ader>↵ <main class="post-content">↵
45. **Error** Element `h4` not allowed as child of element `button` in this context. (Suppressing further errors from this subtree.)
[From line 175, column 9; to line 175, column 49](#)
>↵ <h4 id="text-config" class="like-button"> 0 <i
Content model for element `button`:
[Phrasing content](#), but there must be no [interactive content](#) descendant and no descendant with the `tabindex` attribute specified.
46. **Error** Element `h4` not allowed as child of element `button` in this context. (Suppressing further errors from this subtree.)

From line 177, column 9; to line 177, column 12

```
>✉ <h4>0 <i>
```

Content model for element [button](#):

[Phrasing content](#), but there must be no [interactive content](#) descendant and no descendant with the [tabindex](#) attribute specified.

47. **Error** Element [h4](#) not allowed as child of element [button](#) in this context. (Suppressing further errors from this subtree.)

From line 180, column 11; to line 180, column 14

```
<h4><i> cla
```

Content model for element [button](#):

[Phrasing content](#), but there must be no [interactive content](#) descendant and no descendant with the [tabindex](#) attribute specified.

48. **Warning** Empty heading.

From line 180, column 11; to line 180, column 14

```
<h4><i> cla
```

49. **Error** Duplicate ID [text-config](#).

From line 183, column 11; to line 183, column 31

```
<h4 id="text-config"><i id=
```

50. **Warning** The first occurrence of ID [text-config](#) was here.

From line 175, column 9; to line 175, column 49

```
>✉ <h4 id="text-config" class="like-button"> 0 <i
```

51. **Error** Element [h4](#) not allowed as child of element [button](#) in this context. (Suppressing further errors from this subtree.)

From line 183, column 11; to line 183, column 31

```
<h4 id="text-config"><i id=
```

Content model for element [button](#):

[Phrasing content](#), but there must be no [interactive content](#) descendant and no descendant with the [tabindex](#) attribute specified.

52. **Error** Duplicate ID [text-icon](#).

From line 183, column 32; to line 183, column 70

```
t-config"><i id="text-icon" class="fa fa-pencil"></i></
```

53. **Warning** **The first occurrence of ID `text-icon` was here.**

[From line 175, column 54; to line 175, column 93](#)

```
tton"> 0 <i id="text-icon" class="fa fa-heart-o"></i></
```

54. **Warning** **Empty heading.**

[From line 183, column 11; to line 183, column 31](#)

```
<h4 id="text-config"><i id=
```

55. **Error** **Element `h4` not allowed as child of element `button` in this context. (Suppressing further errors from this subtree.)**

[From line 186, column 11; to line 186, column 14](#)

```
<h4><i cla
```

Content model for element `button`:

[Phrasing content](#), but there must be no [interactive content](#) descendant and no descendant with the [tabindex](#) attribute specified.

56. **Warning** **Empty heading.**

[From line 186, column 11; to line 186, column 14](#)

```
<h4><i cla
```

57. **Error** **Stray end tag `input`.**

[From line 193, column 50; to line 193, column 57](#)

```
6" hidden></input>e
```

58. **Error** **Attribute `type` not allowed on element `textarea` at this point.**

[From line 194, column 9; to line 194, column 100](#)

```
>e <textarea placeholder="Write a message..." class="comment_id" type="textbox" name="content"></text
```

Attributes for element `textarea`:

[Global attributes](#)

[autocomplete](#) — Hint for form autofill feature

[cols](#) — Maximum number of characters per line

[dirname](#) — Name of form control to use for sending the element's [directionality](#) in [form submission](#)

[disabled](#) — Whether the form control is disabled

[form](#) — Associates the element with a [form](#) element

[maxlength](#) — Maximum [length](#) of value
[minlength](#) — Minimum [length](#) of value
[name](#) — Name of the element to use for [form submission](#) and in the [form.elements](#) API
[placeholder](#) — User-visible label to be placed within the form control
[readonly](#) — Whether to allow the value to be edited by the user
[required](#) — Whether the control is required for [form submission](#)
[rows](#) — Number of lines to show
[wrap](#) — How the value of the form control is to be wrapped for [form submission](#)

59. **Error** Element [h4](#) not allowed as child of element [button](#) in this context. (Suppressing further errors from this subtree.)

[From line 197, column 13; to line 197, column 16](#)

<h4><i cla

Content model for element [button](#):

[Phrasing content](#), but there must be no [interactive content](#) descendant and no descendant with the [tabindex](#) attribute specified.

60. **Warning** Empty heading.

[From line 197, column 13; to line 197, column 16](#)

<h4><i cla

61. **Warning** Section lacks heading. Consider using [h2 - h6](#) elements to add identifying headings to all sections, or else use a [div](#) element instead for any cases where no heading is needed.

[From line 161, column 7; to line 161, column 45](#)

on>↵ <section id="posts" class="feed-posts">↵ <

Document checking completed.

Source

1. <!DOCTYPE html>↵
2. <html lang="en">↵
3. <head>↵
4. <title>OnlyFEUP</title>↵
5. <!-- Metadata -->↵
6. <meta charset="utf-8">↵
7. <meta http-equiv="X-UA-Compatible" content="IE=edge">↵
8. <meta name="viewport" content="width=device-width, initial-

```
scale=1">↵
11.     <meta http-equiv="Content-Security-Policy" content="upgrade-  

insecure-requests">↵
12. ~  

13.     <!-- CSRF Token -->↵
14.     <meta name="csrf-token"  

content="UHtfmGsdVVNkBYLd4mq1BYj4Ta6NH7BDBv2xj12g">↵
15. ~  

16.     <!-- Styles -->↵
17.     <link rel="stylesheet" href="https://cdn.jsdelivr.net  

/npm/bootstrap@4.1.3/dist/css/bootstrap.min.css" integrity="sha384-  

MCw98/SFnGE8fJT3GXwEOngsV7Zt27NXFoaoApmYm8liuXoPkF0JwJ8ERdknLPM0"  

crossorigin="anonymous">↵
18.     <link href="http://localhost:8000/css/milligram.min.css"  

rel="stylesheet">↵
19.     <link href="http://localhost:8000/css/app.css" rel="stylesheet">↵
20.     <link href="http://localhost:8000/css/sidebar.css"  

rel="stylesheet">↵
21.     <link href="http://localhost:8000/css/profile.css"  

rel="stylesheet">↵
22.     <link href="http://localhost:8000/css/home.css" rel="stylesheet">↵
23.     <link href="http://localhost:8000/css/searchpage.css"  

rel="stylesheet">↵
24.     <link href="http://localhost:8000/css/postcard.css"  

rel="stylesheet">↵
25.     <link href="http://localhost:8000/css/comment.css"  

rel="stylesheet">↵
26.     <link href="http://localhost:8000/css/group.css" rel="stylesheet">↵
27.     <link href="http://localhost:8000/css/notification.css"  

rel="stylesheet">↵
28.     <link href="http://localhost:8000/css/editpage.css"  

rel="stylesheet">↵
29.     <link href="http://localhost:8000/css/messages.css"  

rel="stylesheet">↵
30.     <link href="http://localhost:8000/css/static.css" rel="stylesheet">↵
31.     <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs  

/font-awesome/4.7.0/css/font-awesome.min.css">↵
32.     <script type="text/javascript" src="http://localhost:8000/js/app.js"  

defer></script>↵
33.     <script type="text/javascript" src="http://localhost:8000  

/js/audioRecorder.js" defer></script>↵
34. ~  

35.     <link rel="icon" type="image/x-icon" href="/images/favicon.ico">↵
36. ~  

37.     </head>↵
38.     <body>↵
39.         <button type="button" id="sidebar-toggle-open" class="open-sidebar-  

button" onclick="toggleSidebar()" hidden></button>↵
40.         <nav id="sidebar">↵
41.             <ul class="list-unstyled sidebar-itens-positioning">↵
42.                 <li class="sidebar-title">↵
43.                     <h1 id="page-title"><a href="http://localhost:8000  

/home">OnlyFEUP</a></h1>↵
44.                     <button class="sidebar-button close-sidebar-button"  

onclick="toggleSidebar()">↵
45.                         <i class="fa fa-arrow-left" aria-hidden="true"></i>↵
46.                     </button>↵
47.                 </li class="sidebar-main-content">↵
48.                 <li>↵
49.                     <header id="bar-header" class="">↵
50.                         <section class="sidebar-user-info">↵
51.                             ↵
52.                             <div class="sidebar-user-username">↵
53.                                 <h4 class="sidebar-user-name"><a id="user=126"  

href="http://localhost:8000/user/126">testing</a></h4>↵
54.                                 <h4 class="sidebar-user-user" id="username126">#64;  

testing</h4>↵
55.                             </div>↵
56.                             <div class="dropdown sidebar-user-dropdown">↵
```

```
57.      <i class="fa fa-chevron-circle-down dropdown data-toggle="button" id="dropdownMenuButton" data-
58.          sidebar-user-options" type="button" href="http://localhost:8000/logout">Logout</a>
59.      </nav class="dropdown-menu myDropdown">
60.          <a class="dropdown-item"
61.              href="http://localhost:8000/messages">Messages</a>
62.      </div>
63.  </section>          </header>
64.          <section id="bar-middle">
65.              <section id="home-chat-card" class="home-
66.                  chat-section">
67.                  <a type=button class="sidebar-chat-anchor"
68.                      href="http://localhost:8000/messages">
69.                      <div>
70.                          <button class="sidebar-button-2 sidebar-chat-button">
71.                              <i class="fa fa-comments-o" aria-hidden="true"></i>
72.                      Chat<
73.                  </a>
74.          </section>
75.          <section class="groups-section">
76.              <h3 class="group-div-title"> Owned groups </h3>
77.              <div id="my_groups">
78.                  <h6> You don't own any groups :( </h6>
79.                  </div>
80.              <h3 class="group-div-title"> Favorite Groups </h3>
81.              <div id="fav_groups">
82.                  <h6> You don't have any favorite groups :( </h6>
83.                  </div>
84.                  <a type=button href="http://localhost:8000/groups">
85.                      <button class="sidebar-button-2">Groups Page</button>
86.                  </a>
87.          </div>
88.          </section>
89.      </li>
90.          <li class="sidebar-li-footer">
91.              <section class="sidebar-footer">
92.                  <section id="static" class="bar-footer-buttons">
93.                      <a type=button href="/about">
94.                          <button class="sidebar-button">About us</button>
95.                      </a>
96.                      <a type=button href="/features">
97.                          <button class="sidebar-button">Features</button>
98.                      </a>
99.                      <a type=button href="/help">
100.                         <button class="sidebar-button">HELP!</button>
101.                     </a>
102.                 </section>
103.             </section>
104.             </li>
105.         </ul>
106.     </nav>
107.     <section id="content">
108.         <button id="modalEnable" type="button" class="btn btn-
109.             primary" data-toggle="modal" data-target="#confirmationModal" hidden>
110.         </button>
111.     <section id="confirmationModal" class="modal fade" tabindex="-1"
112.             role="dialog">
113.                 <div class="modal-dialog" role="document">
114.                     <div class="modal-content new-post-card">
115.                         <div class="modal-body">
116.                             <h3 class="confirmation-text">Are you sure you want to do
this?</h4>

```

```
117.      <div class="modal-footer border-0">↵
118.          <button data-dismiss="modal" class="button-confirmation-no secondary" form="newPostForm"><h4><h4><i class="fa fa-times"></i></i></button>↵
119.          <button data-dismiss="modal" id="confirm" class="button-confirmation-yes confirm"><h4><i class="fa fa-check"></i></button>↵
120.      </div>↵
121.  </div>↵
122. </div>↵
123. </section>↵
124. ↵
125. ↵
126.      <button type="button" id="newpostbutton" class="newpostbutton" data-toggle="modal" data-target="#createPostModal" onclick="createPost(null)"></button>↵
127.      <button class="searchpagebutton" onclick="window.location.href='http://localhost:8000/home/search'"></button>↵
128.      <button class="notificationspagebutton" onclick="window.location.href='http://localhost:8000/home/notifications'"></button>↵
129.      <div class="alert alert-success alert-dismissible" id="alert" role="alert">↵
130.          <button type="button" class="close close-alert button-post-comment" data-dismiss="alert" onClick="deleteMessage()" id="close-alert-button">↵
131.              <h4><i class="fa fa-times" aria-hidden="true"></i></h4>↵
132.          </button>↵
133.          <h4> <strong>Success !</strong> Post successfully created </h4>↵
134.      </div>↵
135. ↵
136.      <section id="createPostModal" class="modal fade" tabindex="-1" role="dialog">↵
137.          <div class="modal-dialog" role="document">↵
138.              <div class="modal-content new-post-card">↵
139.                  <div class="modal-body">↵
140.                      <form method="POST" action="http://localhost:8000/post/create" enctype="multipart/form-data" id="newPostForm">↵
141.                          <input type="hidden" name="token" value="UHtfmGsdVVNkBLYLd4mq1BYj4Ta6NH7BDBv2xj12g">↵
142.                          <h3 class="new-post-title">New post</h3>↵
143.                          <textarea placeholder="Write you post..." id="newpost-content" name="content" rows="8" cols="25" maxlength="256" autofocus></textarea>↵
144.                          <label>↵
145.                              Image: <input type="file" id="image" name="image">↵
146.                          </label>↵
147.                          <label>↵
148.                              Public Post? <input type="checkbox" name="public" checked>↵
149.                          </label>↵
150.                      </form>↵
151.                  </div>↵
152.                  <div class="modal-footer border-0">↵
153.                      <!--<button type="button" class="btn btn-secondary" data-dismiss="modal"><h4><i class="fa fa-times" aria-hidden="true"></i></h4>-->↵
154.                      <!--<button type="submit" form="newPostForm" onclick="" class="btn btn-primary"><h4><i class="fa fa-paper-plane" aria-hidden="true"></i></h4>-->↵
155.                      <button type="button" class="button-post-comment" data-dismiss="modal"><h4><i class="fa fa-times"></i></h4></button>↵
156.                      <button type="submit" class="button-post-comment" form="newPostForm"><h4><i class="fa fa-paper-plane"></i></h4></button>↵
157.                  </div>↵
158.              </div>↵
159.          </div>↵
160.      </section>↵
161.      <section id="posts" class="feed-posts">↵
162.          <article class="main-post" id="post126">↵
163.              <header class="post-info">↵
164.                  ↔
166.         <h4 class="post-info-text"><a href="/user/126">testing</a></h4>↔
167.             <h5 class="post-info-text"> @testing </h5>↔
168.                 less than a minute ago </h5>↔
169.             </header>↔
170.             <main class="post-content">↔
171.                 <div id="main-content" class="post-content-text-image">↔
172.                     <h3 class="postcontent">ola</h3>↔
173.                     </div>↔
174.                     <h3 class="postvisibility" hidden>public</h3>↔
175.                     <button id="countPostLikes126" onclick="likePost(126)">↔
176.                         <h4 id="text-config" class="like-button"> 0 <i id="text-icon" class="fa fa-heart-o"></i></h4></button>↔
177.                         <button id="countPostComments126" class="button-post-comment" onclick="showComments(126, 'post')">↔
178.                             <h4>0 <i class="fa fa-comment-o "></i></h4>↔
179.                             <button onclick="confirmation(deletePost,[126, 'userPosts'])" class="button-post-comment">↔
180.                                 <h4><i class="fa fa-trash"></i></h4>↔
181.                                 </button>↔
182.                                 <button id="editPost126" onclick="editPost(126)" class="button-post-comment">↔
183.                                     <h4 id="text-config"><i id="text-icon" class="fa fa-pencil"></i></h4>↔
184.                                     </button>↔
185.                                     <button id="cancelEditPost126" onclick="cancelEditPost()" style="visibility:hidden;" class="button-post-comment">↔
186.                                         <h4><i class="fa fa-times"></i> </h4>↔
187.                                         </button>↔
188.                                         </main>↔
189.                                         <footer class="post-comments" hidden>↔
190.                                             <article class="comment comment-make" id="temp_comment_126">↔
191.                                                 <form method="post" class="comment-form-card" action="http://localhost:8000//comment/create" enctype="multipart/form-data" id="new-comment-form">↔
192.                                                     <input type="hidden" name="token" value="UHtfmGsdVVNkBYLd4mq1BYj4Ta6NH7BDBv2xj12g">↔
193.                                                     <input name="post id" value="126" hidden></input>↔
194.                                                     <textarea placeholder="Write a message..." class="comment_id" type="textbox" name="content"></textarea>↔
195.                                                     </form>↔
196.                                                     <button type="submit" form="new-comment-form" class="button-post-comment send-button-post-comment">↔
197.                                                         <h4><i class="fa fa-paper-plane" aria-hidden="true"></i></h4>↔
198.                                                         </button>↔
199.                                         </article>↔
200.                                         </>
201.                                         </>
202.                                         </footer>↔
203.                                         </article> </section>↔
204.                                         </section>↔
205.                                         <script src="https://code.jquery.com/jquery-3.3.1.slim.min.js" integrity="sha384-q8i/X+965Dz00rt7abK41JStQIAqVgRVzbzo5smXKp4YfRvH+8abtTE1Pi6jizo" crossorigin="anonymous"></script>↔
206.                                         <script src="https://cdn.jsdelivr.net/npm/popper.js@1.14.3/dist/umd/popper.min.js" integrity="sha384-ZMP7rVo3mIykV+2+9J3UJ46jBk0WLAdn689aCwoqbBJiSnjAK/l8WvCWPIPm49" crossorigin="anonymous"></script>↔
207.                                         <script src="https://cdn.jsdelivr.net/npm/bootstrap@4.1.3/dist/js/bootstrap.min.js" integrity="sha384-ChfqxuZUCnJSK3+MXmPNIyE6ZbWh2IMqE241rYiqJxyMiZ60W/JmZQ5stwEULTy" crossorigin="anonymous"></script>↔
208.                                         </body>↔
209.                                         </html>
```

Used the HTML parser.

Total execution time 123 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 22.12.5